

**To:** [Nonresponsive based on revised scope]@westonsolutions.com]; Wagner, Christine[Wagner.Christine@epa.gov]  
**From:** Duffy, Jessica[/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=108430DC19D440FB8056DC0E55B75738-DUFFY, JESS]  
**Sent:** Mon 4/8/2019 4:39:39 PM (UTC)  
**Subject:** RE: Shiloh Church Road - Draft Geophysical Survey Trip Report.  
Shiloh Church Road Draft Trip Report EM31 JD.pdf

[Nonresponsive based on revised scope]

See attached for comments on the geophysical survey trip report.

**Jessica Duffy**  
On-Scene Coordinator  
USEPA Region 3  
SEMD – Preparedness and Response Branch  
1650 Arch Street (3SD32)  
Philadelphia, PA 19103  
Office: 215-814-3212  
Cell: 267-666-9251  
[duffy.jessica@epa.gov](mailto:duffy.jessica@epa.gov)

---

**From:** [Nonresponsive based on revised scope]@WestonSolutions.com>  
**Sent:** Friday, April 05, 2019 6:10 PM  
**To:** Wagner, Christine <Wagner.Christine@epa.gov>  
**Cc:** Duffy, Jessica <Duffy.Jessica@epa.gov>  
**Subject:** Shiloh Church Road - Draft Geophysical Survey Trip Report.

Hi Chris,

Attached is the draft Trip Report for the geophysical survey performed for Shiloh Church Road Site at the RW-04 property.

Please let me know if you have any questions or comments.

Sincerely,

[Nonresponsive based on revised scope]  
Region III START Response Manager  
**WESTON SOLUTIONS, INC.**  
[Nonresponsive based on revised scope]  
Work: (610) 701-3171  
[Nonresponsive based on revised scope]@WestonSolutions.com

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.